

Timberol®



- › 198022
- › EU-REACH 01-2120768938-30

- › CAS 70788-30-6

Pu Perfumery Use

- › powerful modifier for woody accords
- › imparts a substantive woody-ambery characteristic
- › strengthens the floral side in feminine concepts at low use levels
- › underlines the masculinity of men's fragrances at high use levels
- › recommended use level: 0.1–3 %


O Odor

- › Woody, Wood-Amber, Cedar Wood, Ambergris



Cs Chemical Structure

- › 1-(2,2,6-Trimethylcyclohexyl)hexan-3-ol




Tb Tenacity on Blotter



Pd Product Data

- › **APPEARANCE** clear, colorless liquid
- › **GC PURITY** min. 85% (Σ isomers)
- › **FLASH POINT** > 100 °C
- › **MW** 226.4 g/mol
- › **BP** 295 °C
- › **LOG P (K_{OW})** 5.80
- › **STABILIZER** no
- › **OCC. IN NATURE** no
- › **BIODEGRADABILITY** 62.0% (readily)
- › **CHEM. CLASS.** alcohol

Dr Dose Response




Timberol®





























› 198022

P Performance



S Stability

DOS. %	3 MONTHS AT 40°C	PH	- DISCOLORATION +	- ODOR +
› 4.0	Eau de Toilette	-		
› 1.2	Soap	9-10		
› 1.0	AP Roll-On 15% ACH	4		
› 1.0	Deostick, Stearate	8.5		
› 0.5	Shampoo/Shower Gel	6		
› 0.4	Hair Conditioner	4		
› 0.3	Body Lotion	6.5		
› 0.6	Fabric Softener Conc.	2.5		
› 0.5	Detergent Heavy Duty Liquid	8.5		
› 0.3	Detergent Powder Conc.	10		
› 8.0	Rimblock Liquid	7		
› 0.3	Cleaner APC Liquid	8-10		
› 0.3	Cleaner Liquid Citric Acid	2		

These suggestions and data are based on information we believe to be reliable. They are offered in good faith, but without guarantee, as conditions and methods of use of our products are beyond our control. Symrise makes no warranties, either expressed or implied, as to the accuracy or appropriateness of this data. Symrise expressly disclaims any implied warranty of fitness for a particular use. We recommend that prospective users determine for themselves the suitability of Symrise materials and suggestions for any use prior to their adoption. We also recommend that prospective users, as required, obtain approval from appropriate regulatory authorities. Suggestions for uses of our products or the inclusion of descriptive material from patents and the citation of specific patents in this publication should not be understood as recommending the use of our products in violation of any patent or as a permission or licence to use any patent of Symrise.